

3GH 漩涡风机

3GH Side Channel Blower



Mod	Freq (Hz)	Power (KW)	Voltage (V)	Current (A)	GW (KG)	Noise (dB)	Flow (m³/h)	Suction (mbar)	Compres (mbar)
3GH	50	2.2	200-260△/350-450Y	8.1△/4.6Y	45	64	315	-190	170
350-1H16	60	2.55	230-290△/400-500Y	8.0△/4.6Y		68	370	-150	130
3GH	50	3.0	200-260△/350-450Y	11.4△/6.5Y	50	65	315	-290	270
350-1H26	60	3.45	230-290△/400-500Y	10.8△/6.2Y		69	370	-250	220
3GH	50	4.0	350-450△/610-725Y	8.4△/4.8Y	62	65	315	-350	390
350-1H37	60	4.6	400-500△/690-725Y	8.2△/4.7Y		69	370	-370	340
3GH	50	5.5	350-450△/610-725Y	11.1△/6.4Y	74	65	315	-350	500
350-1H47	60	6.3	400-500△/690-725Y	11.0△/6.4Y		69	370	-390	510
3GH	50	3.0	200-260△/350-450Y	11.4△/6.5Y	68	68	320	-230	190
350-2H26	60	3.45	230-290△/400-500Y	10.8△/6.2Y		71	380	-150	120
3GH	50	4.0	350-450△/610-725Y	8.4△/4.8Y	79	69	320	-350	310
350-2H37	60	4.6	400-500△/690-725Y	8.2△/4.7Y		72	380	-280	230
3GH	50	5.5	350-450△/610-725Y	11.1△/6.4Y	90	71	320	-530	480
350-2H47	60	6.3	400-500△/690-725Y	11.0△/6.4Y		74	380	-480	390
3GH	50	7.5	350-450△/610-725Y	15.0△/8.7Y	97	71	320	-530	700
350-2H57	60	8.6	400-500△/690-725Y	15.1△/8.8Y		74	380	-580	610
3GH	50	11	350-450△/610-725Y	22.0△/12.7Y	120	72	320	-530	870
350-2H67	60	12.6	400-500△/690-725Y	22.0△/12.9Y		76	380	-580	930
3GH	50	4.0	350-450△/610-725Y	8.4△/4.8Y	82	69	320	-300	250
350-3H37	60	4.6	400-500△/690-725Y	8.2△/4.7Y		72	380	-200	150
3GH	50	5.5	350-450△/610-725Y	11.1△/6.4Y	93	71	320	-490	410
350-3H47	60	6.3	400-500△/690-725Y	11.0△/6.4Y		74	380	-410	300
3GH	50	7.5	350-450△/610-725Y	15.0△/8.7Y	100	71	320	-680	620
350-3H57	60	8.6	400-500△/690-725Y	15.1△/8.8Y		74	380	-650	510
3GH	50	11.0	350-450△/610-725Y	22.0△/12.7Y	120	72	320	-680	1020
350-3H67	60	12.6	400-500△/690-725Y	22.0△/12.9Y		76	380	-650	880
3GH	50	15.0	350-450△/610-725Y	30.5△/17.3Y	136	72	320	-680	1020
350-3H77	60	17.3	400-500△/690-725Y	29.5△/17.0Y		76	380	-650	1050
3GH	50	3.0	200-260△/350-450Y	11.4△/6.5Y	66	69	480	-130	120
550-1H26	60	3.45	230-290△/400-500Y	10.8△/6.2Y		74	565	-70	60
3GH	50	4.0	350-450△/610-725Y	8.4△/4.8Y	78	69	480	-230	200
550-1H37	60	4.6	400-500△/690-725Y	8.2△/4.7Y		74	565	-170	140
3GH	50	5.5	350-450△/610-725Y	11.1△/6.4Y	88	69	480	-380	330
550-1H47	60	6.3	400-500△/690-725Y	11.0△/6.4Y		85	565	-310	260
3GH	50	7.5	350-450△/610-725Y	15.0△/8.7Y	96	69	480	-380	500
550-1H57	60	8.6	400-500△/690-725Y	15.1△/8.8Y		85	565	-410	440
3GH	50	5.5	350-450△/610-725Y	11.1△/6.4Y	118	70	480	-270	220
550-2H47	60	6.3	400-500△/690-725Y	11.0△/6.4Y		74	580	-180	130

3GH 漩涡风机

3GH Side Channel Blower




Mod	Freq (Hz)	Power (KW)	Voltage (V)	Current (A)	GW (KG)	Noise (dB)	Flow (m³/h)	Suction (mbar)	Compres (mbar)
3GH	50	7.5	350-450△/610-725Y	15.0△/8.7Y	126	70	480	-450	370
550-2H57	60	8.6	400-500△/690-725Y	15.1△/8.8Y		74	580	-370	280
3GH	50	11.0	350-450△/610-725Y	22.0△/12.7Y	145	70	480	-530	630
550-2H67	60	12.6	400-500△/690-725Y	22.0△/12.9Y		74	580	-540	530
3GH	50	15.0	350-450△/610-725Y	30.5△/17.3Y	156	70	480	-530	890
550-2H77	60	17.3	400-500△/690-725Y	29.5△/17.0Y		74	580	-540	870
3GH	50	7.5	350-450△/610-725Y	15.0△/8.7Y	142	71	480	-380	280
550-3H57	60	8.6	400-500△/690-725Y	15.1△/8.8Y		77	580	-240	140
3GH	50	11.0	350-450△/610-725Y	22.0△/12.7Y	167	71	480	-610	540
550-3H67	60	12.6	400-500△/690-725Y	22.0△/12.9Y		77	580	-590	390
3GH	50	15.0	350-450△/610-725Y	30.5△/17.3Y	180	71	480	-610	830
550-3H77	60	17.3	400-500△/690-725Y	29.5△/17.0Y		77	580	-590	680
3GH	50	18.5	350-450△/610-725Y	37.0△/21.0Y	195	71	480	-610	1020
550-3H87	60	21.3	400-500△/690-725Y	36.5△/21.0Y		77	580	-590	870
3GH	50	5.5	350-450△/610-725Y	11.1△/6.4Y	110	71	750	-180	160
750-1H47	60	6.3	400-500△/690-725Y	11.0△/6.4Y		75	880	-100	80
3GH	50	7.5	350-450△/610-725Y	15.0△/8.7Y	118	71	750	-310	270
750-1H57	60	8.6	400-500△/690-725Y	15.1△/8.8Y		75	880	-240	190
3GH	50	11.0	350-450△/610-725Y	22.0△/12.7Y	140	71	750	-380	450
750-1H67	60	12.6	400-500△/690-725Y	22.0△/12.9Y		75	880	-410	380
3GH	50	15.0	350-450△/610-725Y	30.5△/17.3Y	152	71	750	-380	550
750-1H77	60	17.3	400-500△/690-725Y	29.5△/17.0Y		75	880	-410	590
3GH	50	7.5	350-450△/610-725Y	15.0△/8.7Y	158	73	720	-220	170
750-2H57	60	8.6	400-500△/690-725Y	15.1△/8.8Y		77	840	-90	70
3GH	50	11.0	350-450△/610-725Y	22.0△/12.7Y	177	73	720	-440	350
750-2H67	60	12.6	400-500△/690-725Y	22.0△/12.9Y		77	840	-340	240
3GH	50	15.0	350-450△/610-725Y	30.5△/17.3Y	186	73	720	-530	550
750-2H77	60	17.3	400-500△/690-725Y	29.5△/17.0Y		77	840	-530	450
3GH	50	18.5	350-450△/610-725Y	37.0△/21.0Y	202	73	720	-530	730
750-2H87	60	21.3	400-500△/690-725Y	36.5△/21.0Y		77	840	-530	610
3GH	50	11.0	350-450△/610-725Y	22.0△/12.7Y	210	74	690	-370	270
750-3H67	60	12.6	400-500△/690-725Y	22.0△/12.9Y		78	795	-230	140
3GH	50	15.0	350-450△/610-725Y	30.5△/17.3Y	223	74	690	-600	470
750-3H77	60	17.3	400-500△/690-725Y	29.5△/17.0Y		78	795	-530	340
3GH	50	18.5	350-450△/610-725Y	37.0△/21.0Y	230	74	690	-600	640
750-3H87	60	21.3	400-500△/690-725Y	36.5△/21.0Y		78	795	-590	500



3GH 漩涡风机参数曲线图

Vacuum Compression Selection Diagram
真空压缩图表 50Hz



Vacuum Compression Selection Diagram
真空压缩图表 60Hz

